County of Sacramento • Environmental Management Department • Environmental Compliance Division 11080 White Rock Road. • Suite 200 • Rancho Cordova, CA 95670

• Internet Address: http://www.emd.saccounty.net • Voice (8am – 5pm): 916/875-8400 • FAX: 916/875-8513

CalARP Checklist Summary of Violations – Program Level 1 Facilities

This is an inspection element checklist of common types of violations of Federal, State, or local laws and regulations. For specific details about your inspection, refer to your Notice to Comply (NTC).

CERS								
VIOLATION NUMBER								
<u>General</u>	Permit							
AP098	SCC 6.96.030	Has an active permit for CalARP covered process(es)						
	General Applicability							
Q096	19 CCR 4.5 2735.4(a)(1)	Complied with CalARP provisions when having a RS in a process listed in Table 1/2						
Q097	19 CCR 4.5 2735.4(a)(2)	Complied with CalARP provisions when having a RS in a process listed in Table 3						
Q098	19 CCR 4.5 2735.4(a)(3)	Complied with CaIARP provisions when having a RS in a process listed in Table 1/2 and 3						
	Coordination							
Q099	19 CCR 4.5 2735.5(a)	Closely coordinated with the CUPA to implement the CalARP requirements						
Q100	19 CCR 4.5 2735.5(d)(3)	Ensured response actions have been coordinated with local emergency planning and response agencies						
RMP Compo	nents and Submission							
	RMP Submission							
Q105	19 CCR 4.5 2735.5(b)(1), 2735.5(d), 2745.1(a)	Submitted a RMP which includes all requirements in Section 2745.3 to 2745.5 and 2745.8 to 2745.9						
Q107	19 CCR 4.5 2745.1(b)(1), 2745.1(b)(2)	Submitted the RMP information required by the USEPA to the USEPA						
Q108	19 CCR 4.5 2745.1(c)	Submitted the RMP information required by the USEPA to the CUPA						
Q112	19 CCR 4.5 2745.1(d)	Submitted a RMP to the CUPA prior to the date a RS is in a process above the threshold quantity						
Q110	19 CCR 4.5 2745.1(h)	Excluded classified information from the RMP						
	RMP Certification							
Q111	19 CCR 4.5 2745.2(a)	Ensured that the RMP is certified complete by a qualified person and the owner or operator						
Q113	19 CCR 4.5 2745.9(a)	Submitted in the RMP the certification statement provided in Section 2735.5(d)(4)						
	RMP Updates							
Q118	19 CCR 4.5 2745.10(a)	Revised, updated, and submitted the RMP to the USEPA and CUPA per timelines in Section 2745.10(a)						
Q121	19 CCR 4.5 2745.10(b)	Revised, updated, and submitted the RMP to the CUPA per timelines in Section 2745.10(b)						
Q115	19 CCR 4.5 2745.10(c)	Submitted a de-registration to the USEPA and CUPA within six months of the RS removal						
Q116	19 CCR 4.5 2745.10(d)	Submitted a de-registration to the CUPA within six months of the RS removal						
Q117	19 CCR 4.5 2745.10(f)	Contacted the CUPA within 30 days of a change of owner or operator to update the registration						
	RMP Corrections							
Q124	19 CCR 4.5 2745.10.5(a)	Corrected and submitted the data required in the RMP under sections 2745.5, 2745.6(j), and 2745.7(l)						

Q119	19 CCR 4.5 2745.10.5(b)	Corrected and submitted the emergency contact information in the RMP within one month of any change					
	Covered Process Modification						
Q120	19 CCR 4.5 2745.11(a)(1)	Notified the CUPA in writing at least five calendar days before implementing any modifications					
Q122	19 CCR 4.5 2745.11(a)(2)	Notified the CUPA within 48 hours after the modification where prenotification is not reasonable					
	Certificate of Occupancy						
Q123	19 CCR 4.5 2745.12	Complied with Government Code Section 65850.2(b) prior to issuance of a certificate of occupancy					
	RMP Review						
Q125	19 CCR 4.5 2745.2(b)(1)	Corrected deficiencies within 60 calendar days from receipt of the notification of RMP deficiencies					
Registratio	<u>n</u>						
Q126	19 CCR 4.5 2735.5(b)(2)	Included a registration in the RMP that reflects all covered processes					
Q127	19 CCR 4.5 2740.1(a)	Completed the registration information and submitted it with the RMP to the USEPA and the CUPA					
Q128	19 CCR 4.5 2740.1(b)	Completed the registration information and submitted it with the RMP to the CUPA					
Q129	19 CCR 4.5 2740.1(c)	Submitted a registration with a certification of accuracy to the CUPA prior to submittal of the RMP					
Q130	19 CCR 4.5 2740.1(d)	Included the data required in Section 2740.1 (d)(1) through (d)(20) in the registration					
azard Ass	sessment						
	General Applicability						
Q131	19 CCR 4.5 2750.1	Prepared a worst-case release scenario analysis as provided in Section 2750.3					
Q132	19 CCR 4.5 2750.1	Completed the five-year accident history as provided in Section 2750.9					
Other Requ	uirements						
	Recordkeeping						
Q134	19 CCR 4.5 2775.1	Maintained records supporting the implementation of CalARP for five years unless otherwise provided					
Q135	19 CCR 4.5 2785.1(a)	Coordinated with CUPA to ensure appropriate technical standards are applied to implement CaIARP					
Q136	19 CCR 4.5 2785.1(b)	Requested assistance from the CUPA when necessary to address compliance/safety issues with CaIARP					

9/17/2018 DK W:\DATA\FORMSARCHIVE\HM\CAL ARP\CAL ARP\CAL ARP CHECKLISTS REV\CHECKLIST SUMMARY OF VIOLATIONS CALARP LV1 - TABLET.DOC

County of Sacramento • Environmental Management Department • Environmental Compliance Division

11080 White Rock Road, Ste. 200 • Rancho Cordova, CA 95670

Internet Address: <u>http://www.emd.saccounty.net</u> Voice (8am – 5pm): 916/875-8550 • FAX: 916/875-8513

RETURN TO COMPLIANCE STATEMENT

This <u>Return To Compliance Statement</u> must be returned to EMD within 19 days of your facility's inspection for Priority Corrective Action violations and within 35 days for all other violations (unless otherwise noted on the Notice To Comply.) Also include copies of any proof of compliance documents (e.g. photos, copies of manifests/disposal records or receipts, or other original paperwork.)

Compliance Certification													
	I certify that the violations noted on the Notice To Comply (and accompanying inspection checklists) have been corrected in the manner indicated below.												
2.	I have personally examined any attached documentation submitted as proof of compliance and I believe the information to be true, accurate and complete.												
3.	, I am aware that there are significant penalties for submitting false information and/or for non-compliance with violations noted.												
		under penalty o			-								
Executed			, California			Date:							
Facility Na	Facility Name: Facility ID#(FA):												
Signature	:					Printed Na	me:						
Position/T	Position/Title:												
SUMMARY OF VIOLATION COMPLIANCE ACTION													
Violation Number	Check Type of			Violation	Check Type of			Violation	Check Type of				
	E Photo	vidence Subm Paperwork	itted Statement	Number	E ^v Photo	vidence Subm Paperwork	itted Statement	Number	Evidence Submitted Photo Paperwork Statement		itted Statement		
AP098				Q135									
Q096				Q136									
Q097													
Q098													
Q099													
Q100													
Q105													
Q107													
Q108													
Q112													
Q110													
Q111													
Q113													
Q118													
Q121													
Q115													
Q116													
Q117													
Q124													
Q119													
Q120													
Q122													
Q123													
Q125													
Q126													
Q127													
Q128													
Q129													
Q130													
Q131													
Q132													
Q134													

9/17/2018 DK W\DATA\FORMSARCHIVE\HM\CAL ARP\CAL ARP\CAL ARP CHECKLISTS REV\CHECKLIST CHECKLIST RTN TO COMP CALARP LV1 - TABLET.DOC